

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	Champagne)	
)	Group Art Unit: 1797
)	
Serial Number	10/553,740)	Examiner: McKane
)	
Filed	October 20, 2005)	
)	
Now U.S. Patent No.	7,608,217)	
)	
Date of Patent:	October 27, 2009)	

For: Apparatus and Method for Humidifying a Sterilization Chamber

COMMUNICATION/CERTIFICATE OF CORRECTION


Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

This communication concerns Official U.S. Letters Patent 7,608,217 which issued on October 27, 2009. Upon review of the patent document, it is noted that in column 19, line 34, there is a typographical error. Currently the line reads " $\Delta T_x \leq 0$." and it should read " $\Delta T_x \geq 0$."

This printing error was of no fault by the Applicant and therefore no fees should be due in connection with this paper. It is requested that a new Official Letters Patent be prepared, or at least a certificate of correction issued, to address this error. If there are any questions concerning this matter, please contact the undersigned at the number provided below.

Respectfully submitted,



Everett G. Diederiks, Jr.
Registration No. 33,323

Date: February 22, 2010
DIEDERIKS & WHITELAW, PLC
13885 Hedgewood Dr., Suite 317
Woodbridge, VA 22193-7932
Tel: (703) 583-8300
Fax: (703) 583-8301